



WKP701

Precision handling gloves

- Hand protection, safety and ergonomics.
- Greater strength and maximum comfort.
- Micro-foam nitrile coating for good abrasion and oil resistance.

Knitted fabric in polyamide and elastane. 15 gauge. Micro-foam nitrile coating on palm and fingertips. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Washable at 40°C on delicates cycle. PPE Category II. Standards NF EN ISO 21420:2020 (Protective gloves - General requirements and test methods), NF EN 388+A1:2018 (Gloves for protection against mechanical risks): Performance levels 4131A. Weight of a pair of gloves in size 10: 44g



6 - 7 - 8 - 9 - 10 - 11 - 12



225 g/m²



Red

Certifications



More information

Logistic



10



100



CN - China

Customs code



61161020


Maintenance



WKP701

Precision handling gloves

Dimensions (cm)



Measurements in cm	6	7	8	9	10	11	12
AT10 - Width of palm level with top of thumb palm seam	8.00	8.30	8.80	9.60	10.10	10.30	10.60
AT33 - Length of glove from bottom palm to top finger	17.50	18.00	18.50	19.00	19.50	20.00	20.50



WKP701

Precision handling gloves

Colours information



Red
RVB : 195,32,54
Pantone C : 200C
Pantone TCX : 19-1664TCX

Logisti  10  100

Sizes	Width (cm)	Height (cm)	Length (cm)	Net weight (kg)	Gross weight (kg)	Pieces/Box	Pieces/Bundle
6	40.00	18.00	60.00	4	4.5	100	10
7	40.00	18.00	60.00	4.25	4.75	100	10
8	40.00	18.00	60.00	4.7	5.2	100	10
9	40.00	18.00	60.00	4.95	5.45	100	10
10	40.00	18.00	60.00	5.45	5.95	100	10
11	40.00	18.00	60.00	5.7	6.2	100	10
12	40.00	18.00	60.00	5.95	6.45	100	10