



WKP701

Precision handling gloves

- Hand protection, safety and ergonomics.
- Greater strength and maximum comfort.
- Micro-foam nitrile coating for good abrasion and oil resistance.

Knitted fabric in polyamide and elastane. 15 gauge. Micro-foam nitrile coating on palm and fingertips. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Washable at 40°C on delicates cycle. PPE Class II. Standards NF EN ISO 21420:2020 (Protective gloves - General requirements and test methods), NF EN 388+A1:2018 (Gloves for protection against mechanical risks): Performance levels 4131A. Weight of a pair of gloves in size 10: 44g



6 - 7 - 8 - 9 - 10 - 11 - 12



225 g/m²



Red

Certifications



More information

Logistic



10



100



CN - China

Customs code




61161020

WKP701

Precision handling gloves

Dimensions (cm)



Measurements in cm	6	7	8	9	10	11	12
AT10 - Width of palm level with top of thumb palm seam	8.00	8.30	8.80	9.60	10.10	10.30	10.60
AT33 - Length of glove from bottom palm to top finger	17.50	18.00	18.50	19.00	19.50	20.00	20.50



WKP701

Precision handling gloves

Colours information



Red
RVB : 195,32,54
Pantone C : 200C
Pantone TCX : 19-1664TCX

Logisti  10  100

Sizes	Width (cm)	Height (cm)	Length (cm)	Net weight (kg)	Gross weight (kg)	Pieces/Box	Pieces/Bundle
6	40.00000	18.00000	60.00000	4.00000	4.50000	100	10
7	40.00000	18.00000	60.00000	4.25000	4.75000	100	10
8	40.00000	18.00000	60.00000	4.70000	5.20000	100	10
9	40.00000	18.00000	60.00000	4.95000	5.45000	100	10
10	40.00000	18.00000	60.00000	5.45000	5.95000	100	10
11	40.00000	18.00000	60.00000	5.70000	6.20000	100	10
12	40.00000	18.00000	60.00000	5.95000	6.45000	100	10