


- High protection against sharp edges.
- Greater strength and maximum comfort.
- Micro-foam nitrile coating for good abrasion and oil resistance.

Knitted support in MetalQ (graphite), polyamide and elastane. Gauge 18. Micro-foam nitrile coating on palm and fingertips. Nitrile backing between the thumb and index finger. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Gloves compatible with touch screens. Washable at 40° on delicates cycle. PPE Category II. Standards NF EN ISO 21420:2020 (Protective gloves - General requirements and test methods), NF EN 388+A1:2018 (Gloves for protection against mechanical risks): Performance levels 4342D. Weight of a pair of gloves in size 10: 48g



Certifications



More information

Logistic



10



100



CN - China

Country of origin

Customs code



61161020


Maintenance



WKP709

Touchscreen Cut Protection Gloves

Dimensions (cm)



Measurements in cm	6	7	8	9	10	11	12
AT10 - Width of palm level with top of thumb palm seam	8.70	9.00	9.70	10.10	10.30	10.50	11.10
AT33 - Lenght of glove from bottom palm to top finger	18.00	19.00	20.00	21.00	22.00	23.00	24.00



WKP709

Touchscreen Cut Protection Gloves

Colours information



Black
RVB : 35,35,37
Pantone C : Black
Pantone TCX : 19-4004TCX

Logisti  10  100

Sizes	Width (cm)	Height (cm)	Length (cm)	Net weight (kg)	Gross weight (kg)	Pieces/Box	Pieces/Bundle
6	30.00	20.00	60.00	4.45	4.95	100	10
7	30.00	20.00	60.00	4.75	5.25	100	10
8	30.00	20.00	60.00	5.25	5.75	100	10
9	30.00	20.00	60.00	5.75	6.25	100	10
10	30.00	20.00	60.00	6.05	6.55	100	10
11	30.00	20.00	60.00	6.35	6.85	100	10
12	30.00	20.00	60.00	6.7	7.2	100	10