


WKP710

Cut and Impact Protection gloves

- Increased protection and various reinforcements.
- Ideal for general handling.
- Sandy nitrile coating for abrasion resistance.

Knitted support in HPPE, steel fibre, basalt, polyester and elastane. Gauge 13. Sandy nitrile coating on palm and fingertips. Sandy nitrile backing between the thumb and index finger. PVC reinforcements on the back of the hand and fingers. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Non-washable product. PPE Category II. Standards NF EN ISO 21420:2020 (Protective gloves - General requirements and test methods), NF EN 388+A1:2018 (Gloves for protection against mechanical risks): Performance levels 4343FP. Weight of a pair of gloves in size 10: 212g



Certifications



More information


Logistic



Country of origin



Customs code




Maintenance



WKP710

Cut and Impact Protection gloves

Dimensions (cm)



Measurements in cm	6	7	8	9	10	11	12
AT10 - Width of palm level with top of thumb palm seam	8.70	9.40	9.90	10.40	10.70	10.90	11.20
AT33 - Length of glove from bottom palm to top finger	18.00	19.00	20.00	21.00	22.00	23.00	24.00



WKP710

Cut and Impact Protection gloves

Colours information



Blue
RVB :
Pantone C :
Pantone TCX :

Logistic



5



60

Sizes	Width (cm)	Height (cm)	Length (cm)	Net weight (kg)	Gross weight (kg)	Pieces/Box	Pieces/Bundle
6	40.00	30.00	60.00	9.24	9.74	60	5
7	28.00	32.00	56.00	9.94	10.44	60	5
8	40.00	30.00	60.00	10.74	11.24	60	5
9	40.00	30.00	60.00	11.64	12.14	60	5
10	30.00	34.00	58.00	12.9	13.4	60	5
11	30.00	34.00	58.00	14.2	14.7	60	5
12	30.00	34.00	58.00	15.6	16.1	60	5